

Art Unit: 1793

An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it **MUST** be submitted no later than the payment of the issue fee.

Authorization for this examiner's amendment was given in a telephone interview with Mr. Doughty on March 16, 2009.

Claims 24-26 and 28 have been cancelled.

In claim 13, lines 12 and 13, "a mixture of cerium oxide and zirconium oxide, a mixture of cerium oxide and an alumina" has been deleted and the phrase - - cerium oxide carried on a porous refractory carrier comprising alumina or zirconia, - - has been substituted therefor.

In claim 19, lines 17 and 18, "a mixture of cerium oxide and zirconium oxide, a mixture of cerium oxide and an alumina" has been deleted and the phrase - - cerium oxide carried on a porous refractory carrier comprising alumina or zirconia, - - has been substituted therefor.

In claim 27, line 1, "25" has been changed to - - 13 - -. In line 2, "element" has been changed to - - metal - - .

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Wayne Langel whose telephone number is 571-272-1353. The examiner can normally be reached on Monday through Friday, 8 am - 3:30 pm Eastern Time.

Art Unit: 1793

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Stanley Silverman can be reached on 571-272-1358. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

/Wayne Langel/  
Primary Examiner, Art Unit 1793